


## ROOM AIR PURIFIER

### USER MANUAL

Model No. SA20G



PLEASE READ AND SAVE THESE INSTRUCTIONS FOR  
FUTURE REFERENCE

**Room Air Purifier  
Packing List**

CTN No.:1 carton

No	Item	Model No.	Unit	Q'ty	Remarks
1	Device	SA20G	PC	1	
2	Manual		PC	1	
3	Filter	SA20G-R	PC	1	Pls remove the plastic bag before use.

# **User Manual**

## **Catalogue**

1. Safety precautions	3
2. Product Introduction	5
- Function description of control panel	6
3. Before use	7
- Removal and installation method of front cover plate	7
- Placement of air purifier	7
- Install the filter	8
- Understand the role of filters	10
- Integrating multiple functions into one	11
4. Usage method	12
- Function description of control panel	12
- Turn on the purifier	13
- Manual mode	13
- Wind speed setting	14
- Sleep function	14
- Anion function	14
- Timer function	14
- PM2.5 air quality indicator	14
-5. Maintenance and cleaning methods	15
- Clean air purifier	15
- Operation steps	16-17
- When idle for a long time	18
- Reference time for replacing filter screen	18
6. Troubleshooting	19
- Warranty	20
- Filter replacement	20
7. Other information	20
- Recycling	20

# User manual

## 1 Safety precautions

Thank you for purchasing our product. To better understand its operation and to prevent personal injury or physical damage, please carefully read and follow the instructions, paying attention to the symbols in this manual.



### Warning

Disassembly of the air purifier should only be carried out by qualified professionals to avoid the risk of electric shock. Unauthorized disassembly will void the warranty.

Always ensure the device is unplugged before replacing the filter.

For operational issues, refer to the user manual for troubleshooting. If the problem persists, contact the retailer for assistance.

This appliance is not intended for use by individuals with reduced capabilities or lack of experience unless supervised or instructed.

Children should be supervised to ensure they do not play with the appliance.

Before cleaning or performing any maintenance, disconnect the appliance from the power supply.

If the power cord is damaged, it must be replaced by the manufacturer, an authorised service agent, or a similarly qualified professional to avoid potential hazards.



Prohibited

Do not touch the power plug with wet hands.

Otherwise, electric shock may be caused.



Must comply

Before cleaning the air purifier, ensure that the power supply has been completely disconnected.



Prohibited

It is strictly prohibited to use a power supply or connected equipment that does not meet the specified values. Only a 220-240V ~ AC power supply should be utilized.

Using universal sockets or equipment outside the specified voltage may lead to overheating and fire hazards.



Must comply

**Please ensure that the plug is fully inserted into the power socket before starting the air purifier.**

If the plug is not securely connected, it may lead to electric shock, overheating, or even fire hazards.

- Do not use damaged plugs or loose power outlets



Prohibited

Do not damage the power cord and socket.

When operating the machine, do not bind the wires.

Using damaged wires may result in electric shock, short circuits, or fire hazards.

It is strictly forbidden to cut, modify, excessively twist, poke, or pull on the wires.

Do not place heavy objects on wires or sockets.



Must comply

**Please clean the power plug regularly.**

Accumulated dust on the power plug may damage the insulation, leading to potential fire hazards.

- Disconnect the power plug and clean it with a dry cloth (do not use a wet cloth!).
- If the air purifier will not be used for an extended period, the power plug should be removed.



Disassemble

Prohibited

It is strictly prohibited to disassemble or modify the air purifier without authorization.

Unauthorized disassembly or alteration of electrical appliances may result in electric shock, malfunction, or fire hazards.



Prohibited

**It is strictly prohibited to place rods or other metal objects near the air outlet or openings.**

Doing so may contact internal components, potentially resulting in electric shock or damage to the unit

# User manual

## Warning

Before moving the product, please ensure that it is powered off and disconnected from the power supply.

Always move the product slowly and with care. Do not move the product by pulling on the power cord.

Never move the machine while it is in operation. If relocation is necessary, ensure that the power is turned off first.

## Warning

In the event of any of the following conditions, please turn off the power to the machine immediately:

- If a switch does not function properly.
- If the circuit breaker trips or the fuse blows.
- If the power cord or plug feels unusually hot.
- If you detect a burnt odor or hear abnormal sounds or vibrations.
- If you notice any other unusual phenomena or faults.

## Warning



Prohibited

It is prohibited to use benzene, thinner, or other solvents to clean the air purifier, as well as to avoid contact with insecticide sprays.

Failure to adhere to this guideline may result in damage to the air purifier, including the risk of a short circuit, which could lead to electric shock or fire hazards.



Must comply

When disconnecting the power plug, always hold the plug itself; do not pull on the wire.

Pulling the wire directly may cause a short circuit or damage the wire, potentially leading to fire or electric shock hazards.



Prohibited

**It is prohibited to use this air purifier in areas with greasy particles, such as kitchens, as this may lead to damage and malfunction.**

- The air purifier should not be used as ventilation or air extraction equipment.



Wetting  
Danger

It is prohibited to use this air purifier in areas with high temperature, humidity, or wet conditions, such as bathrooms.

Doing so may lead to electrical leakage, resulting in electric shock or fire hazards.



Prohibited

It is prohibited to use the air purifier in rooms where fumigation insecticides have been applied.

Chemical residues may accumulate within the unit and be released from the air outlet, posing a health risk.

- After using insecticides, ensure that the room is thoroughly ventilated before operating the air purifier.



Keep away  
from flame!

Do not allow volatile substances or combustible materials, such as tobacco or sparks, to come into contact with the air purifier.

Failure to adhere to this guideline may result in fire hazards.



Wetting  
Danger


Do not allow the unit to get wet. Otherwise, electric shock and fire hazards may occur due to short circuits.

# User manual

Keep the machine away from volatile substances or flammable items, such as tobacco and sparks, to prevent fire hazards.

## 2. Product introduction


---



If there is any discrepancy between the product image and the actual object, the actual object shall take precedence.

# User manual

## Function description of control panel




# User manual

## 3 Before use

### Removal and installation method of front cover plate


#### 1. Removal method of front cover.

Open the front cover as instructed



#### 2. Installation method of front cover.

Lift the front cover upwards and place it in place




### Placement of air purifier

To ensure proper air circulation, please maintain a distance of at least 50 cm between the air inlet and any wall or curtain. Additionally, the air outlet should also have a clearance of no less than 50 cm. Keep a distance of 1 meter or more from TVs and radios.

Please do not use the same socket for the air purifier as for appliances such as TVs or radios to avoid picture flutter or noise interference. Additionally, placing the machine in the same location for an extended period may cause dirt to accumulate on the surrounding wall surface.

- Ensure that the air inlet and outlet are unobstructed to maintain adequate ventilation and optimal efficiency.





# User manual

## Installing the Filter

### Information

This air purifier is equipped with a filter screen inside, but before using the product, be sure to remove the packaging of the filter screen. Please follow the instructions below to remove the filter and its package, and then put it back into the purifier.


### ⚡ ATTENTION

- Ensure that the power plug is installed, repaired and transported when the power supply is disconnected.
- Do not operate the air purifier without the filter
- Remove the plastic packaging of the filter screen before use.


## Operating steps

When using the air purifier for the first time, please follow the steps below to install the filter correctly.


1.Remove all packaging materials and place the machine on a dry, stable, level surface.




2. Pull out the front cover panel from the top and lift up and out.



3.Remove the filter screen inside the purifier.




4.Remove the packing bag from the filter.




Replacement filter SA20G-R

# User manual

5.Put the filter back into the purifier.



6.Line up the bottom locators and gently press to close the front cover securely.




## Reminder

Please be careful when install the back cover, watch your hands

# User manual

## Understanding the role of the filter

### 1. Air flow path.




2. Polluted air enters the filter screen from the outside and is then purified, with clean air being released from the top.

If there is any discrepancy between the product image and the actual object, the actual object shall take precedence.

# User manual

## Integrating multiple functions into one



- 4 speed design
- Filter replacement indicator
- Auto air quality mode
- sleep mode
- Ioniser mode

## Triple purification technology





The primary filter net	Capturing larger particles and effectively managing debris and extending the life of secondary filters
HEPA layer	Help improve indoor air quality by significantly reducing airborne contaminants, creating a healthier living environment.
High quality modified activated carbon	Removes unwanted odors and harmful gases significantly improve indoor air quality

# User manual

## 4,How to use

### Function description of control panel




- |   |                                     |
|---|-------------------------------------|
| <b>1</b> PM2.5 indicator                | <b>8</b> Reset button               |
| <b>2</b> Auto gear wind speed indicator | <b>9</b> Timer indicator            |
| <b>3</b> 1 gear wind speed indicator    | <b>10</b> Air quality value display |
| <b>4</b> 2 gear wind speed indicator    | <b>11</b> Air quality display bar   |
| <b>5</b> 3 gear wind speed indicator    | <b>12</b> Anion indicator           |
| <b>6</b> Anion button                   | <b>13</b> ON/OFF button             |
| <b>7</b> Timer button                   | <b>14</b> Wind speed button         |
|   | <b>15</b> Sleep button              |

### Plug in the power supply

When the power is connected, the machine will emit a prolonged sound, and all indicator lights will illuminate. After this, the power indicator light will be partially lit, indicating that the machine has entered standby mode.


# User manual

## Turn on the purifier



Once the power is activated, the "On" key will remain illuminated for an extended period, while the other keys will remain unlit.

## Manual mode



Press the "On" key to fully illuminate the left section, where the current status will be displayed. The six keys on the right will remain continuously lit.

### ATTENTION

The indicator light of air quality will be on when the air purifier turn on.

# User manual

## Wind speed setting

Auto 

Wind speed



When the machine is started for the first time, it defaults to automatic air volume mode. In this mode, the air volume icon on the right stays illuminated, and the automatic icon on the left remains lit.

Clicking once will switch to automatic air volume level 1, where one fan icon on the left remains lit while the automatic icon dims.

Clicking again switches to manual air volume level 2, with two fan icons on the left and right fully illuminated, and the automatic icon staying dim.

This pattern continues. After reaching the third air volume level, clicking again will return to automatic air volume mode, cycling through the options in the same sequence.


## Sleep function

Sleep indicator



When the machine is turned on for the first time, the sleep icon on the right remains illuminated. Press the button once to enter sleep mode, where the air volume will be set to the lowest level. All other displays will turn off except for the sleep icon, which will remain lit. Press the button again to exit sleep mode.

## Anion/Ion function



Anion button

The anion icon on the right is illuminated when the machine is turned on for the first time. Press the button once to activate the anion function, and the corresponding anion icon will remain displayed on the right.

## Timer setting



Timer button

When the machine is started for the first time, the timing button on the right remains illuminated. Press the button once to enter timing mode. The digital screen on the left will display the timing setting, cycling through values from 0H to 8H. After selecting the desired time, the system will exit the setting mode and begin timing automatically after 3 seconds. During operation, the screen will display the PM2.5 value.

While the timer is active, the timer icon on the left will remain illuminated. In the timing state, pressing the timer button once will display the remaining time on the screen. Pressing it again will re-enter the timing setting mode, allowing you to adjust the time from 0H to 8H in a cycle.

## Filter screen replacement function



Filter screen

When the machine is turned on for the first time, the filter screen icon on the right is illuminated. When the filter element has only 2 weeks remaining, the filter element button will begin flashing as a reminder.




To reset the filter element timer: press and hold the filter screen button for 4 seconds. The buzzer will sound 3 times, indicating the reset is complete. The filter screen icon will stop flashing, and the timer will start counting from the beginning again.

## PM2.5 Air quality indicator

PM2.5 Auto 



After startup, the machine will automatically display a corresponding color based on the PM2.5 air quality value:

-  Green: Good air quality.
-  Yellow: Moderate air quality.
-  Red: Poor air quality.

# User manual

## 5.Maintenance and cleaning methods

---


Before cleaning, ensure that the power plug is disconnected.  
Do not immerse the product in water or any other liquids.  
Avoid using cleaning agents that are highly abrasive, corrosive, or flammable (such as bleach or alcohol) to clean any part of this product.  
The filter net can't be washed



### Clean the air purifier

Clean inner side and outer side of air purifier regularly to prevent dust gathering.

- 1.Use soft and dry cloths to remove dust on the air purifier.
- 2.Use soft and dry clothes to clean air inlets and air outlets.





# User manual

## Replace the filter

### Information

When the indicator light of filter replacement flashes, it is to alert the user to replace the corresponding filter



Filter screen

### ⚡ ATTENTION

When the product is working, the filter replacement indicator flashes, and the buzzer sounds a "ding ding ding" alarm, reminding the user to replace the filter, but the air purifier can still work normally.

### ⚡ ATTENTION

Please turn off the power and pull out the power plug before filter replacement. If the indicator light of filter replacement flashes again after replacing the filters, please press the reset button for 3 seconds until the indicator light off.

### 💬 ATTENTION

Put the plastic filter into the machine before disassembly


## Operating steps

1. The machine will remind you to replace the filter when the filter replacement indicator light begins to flash.




Filter screen

2. Turn off the power and pull out the power plug.




3. Hold the air purifier and gently remove the front panel.




# User manual


4. Remove the filter from inside the air purifier.



7. Attach the front cover by aligning the bottom locators, and gently press to securely close it.



5. Remove the packaging from the filter before installing into the air purifier.





8. After replacing the filter, plug in the power plug and press the reset key for 3 seconds to reset the machine.



6. Put the filter back into the purifier.

Replacement Filter: SA20G-R



# User manual

## When idle for a long time

1. Pull out the power cord. (standby setting may consume power)
2. Cover the machine with plastic bag and place it in a dry location for safekeeping
3. Do not store the product upside down which may lead to product failure.

## Reference time for replacing filter screen

The filter of this product consists of a primary filter, a HEPA filter, and an activated carbon filter. The filter cannot be washed and may become damaged if pressed too hard.

The general service life of the filter is approximately six months.

Please note that this timeframe is only a reference, and users can replace the filter earlier depending on the actual conditions of the environment in which the product is used.

### Attention

Please turn off the air purifier and unplug it before replacing the filter

# 6 Troubleshooting

The following table lists possible issues that may occur during daily use. If you cannot find a solution in the listed examples, please contact the retailer for assistance.

Status	Possible reason	Possible solution
Air Purifier doesn't turn on	Power button not engaged	Ensure the power button has been properly pressed or held down, as some devices require a longer press
	Power supply issue	The unit may not be plugged in properly, or the power outlet may not be working. Check the power cord and outlet
	Power cord damaged	Contact the retailer service desk for assistance.
Fan doesn't work	Machine doesn' t turn on	Plug in and turn on
	Fan motor fault	Contact the retailer service desk for assistance.
	Machine on uneven ground	Move to even and flat ground
	Loose or foreign objects inside the purifier	Contact the retailer service desk for assistance.
	Motor is loose	Contact the retailer service desk for assistance.
Poor performance	Filters need to be replaced	Replace new filter
	The air purifier is not receiving sufficient airflow	Ensure there is 50cm distance between air inlet and wall or curtain
	Filter still in plastic bag	Remove the packaging from the filter before installing into the air purifier.
	Filter is missing or not properly installed	Ensure filter is installed in the correct order according to the instructions

# User manual


## Warranty

2-year warranty (excludes filter).  
Contact your retailer for more  
information.



## Filter Replacement

Replacement filter available through the  
retailer. SA20G-R



Pre-filter + HEPA + activated carbon  
composite filter

If you need information or have any questions, please contact the  
retailer

# 7 Other Information

## Recycling



When discarding products, please do not stack them together with general domestic waste. Please understand the local regulations on classified collection of electronic or electrical products.

Proper disposal of used products helps to avoid potential negative impacts on the environment and human health.

**Stefani**

**Stefani Australasia Pty Ltd**

ACN 054 981 421

80 Pilbara Street

Welshpool WA 6106

Australia

[stefani.com.au](http://stefani.com.au)



AUS NZ



[arl.org.au](http://arl.org.au)  
[arl.org.nz](http://arl.org.nz)

**Product Code: SA20G**

Made in China

